



MATERIAL SAFETY DATA SHEET

Version: 2
Last Updated: 11.12.2000

Sheet 1 of 4

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND COMPANY

Product Name: Sovereign Hydraulic Oil – ISO 100

Company: Sovereign Lubricants
Tel: 01484 718674
Fax: 01484 400164

SL

2. COMPOSITION / INFORMATION ON INGREDIENTS

A blend of refined mineral oil and a multipurpose hydraulic oil additive package.

CAS No: N.A.
Risk Phrases: N.A.
Safety Phrases: N.A.

SL

3. HAZARD IDENTIFICATION

Not classified as hazardous.

SL

4. FIRST AID MEASURES

Eyes: Irrigate with plenty of cold water

Skin: Wash off with copious amounts of soapy water.

Ingestion: If more than a few drops swallowed give patient water to drink. Do not induce vomiting and seek medical advice.

SL

5. FIRE FIGHTING MEASURES

Fire Fighting Measures: Not considered flammable and does not constitute a fire hazard.

Extinguishing Media: Carbon dioxide, dry powder, sand or foam.

Protective Equipment For Fire Fighters: Standard.

SL

6. ACCIDENTAL RELEASE MEASURES

Always prevent entry into drains or watercourses. If allowed to enter drains or watercourses alert local water authority.
Contain any spillages in absorbent granules, sand or sawdust.
Disposal must be in accordance with the Environmental Protection Act 1990.

7. HANDLING AND STORAGE

Do not store in areas where food and drink are taken. Keep drums tightly closed and if stored outside then store on sides in order to reduce ingress of water.

SL

8. EXPOSURE CONTROL / PERSONAL PROTECTION

In accordance with good industrial practice handle using gloves / gauntlets and standard eye protection.

SL

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Form:	Fluid
Colour:	Pale Straw
Odour:	Bland
pH Of Aqueous Solution:	N.A.
Boiling Point:	> 150°C
Melting Point:	N.A.
Viscosity @ 40°C	90 – 110 cSt @ 40°C
Flashpoint:	> 150°C
Flammability Solid / Gas:	N.A.
Autoflammability:	> 150°C
Explosive Properties:	N.A.
Vapour Pressure:	N.A.
Density @ 15.6°C:	0.870 – 0.890
Water Solubility:	Insoluble
Other Solubility:	Soluble In Hydrocarbon Solvents
Bulk Density:	N.A.
Partition Coefficient Octanol / Water:	N.A.

SL

10. STABILITY AND REACTIVITY

Thermal Decomposition: Stable under normal conditions of use

Hazardous Reactions: None under normal conditions of use. Avoid strong acids, strong alkalis and oxidizing agents.

SL

11. TOXICOLOGICAL INFORMATION

Oral: Expected to possess a relatively low degree of acute oral toxicity. LD50 expected to be > 2000 mg/kg.

Dermal: Expected to be relatively non-toxic by dermal route.

Inhalation: N.A.

Skin: Expected to be essentially non-irritating.

Eye: Expected to be essentially non-irritating

SL

12. ECOLOGICAL INFORMATION

Biodegradation: No Data
Fish Toxicity: No Data
Bacterial Toxicity: No Data
WGK Class: 0 or 1 – Self Classification

SL

13. DISPOSAL CONSIDERATIONS

All means of disposal should comply with local regulations and the Environmental Protection Act 1990. Dispose of the product and container carefully and responsibly.

SL

14. TRANSPORT INFORMATION

UN Name: N.A.
UN Number: N.A.
IMDG Code / Class: Non Hazardous
ICAO / IATA (Air) Class: Non Hazardous
RID / ADR: Non Hazardous
ADNR Class: Non Hazardous

SL



MATERIAL SAFETY DATA SHEET

Version 2
Last Updated: 11.12.2000

Sheet 4 of 4

15. REGULATORY INFORMATION

Risk Phrases: None
Safety Phrases: None
Occupational Exposure Limits: None

SL

16. OTHER INFORMATION

Legislation: Chemical (Hazards, Information and Packaging) Regulations 1993
Environmental Protection Act 1990, Control Of Pollution Act 1974
The Environmental Protection (Duty Of Care) Regulations 1991